

## ASTM

| Số hiệu tiêu chuẩn   | Ngày công bố |
|--|--------------|
| <b>ASTM C1524-20</b><br>Standard Test Method for Water-Extractable Chloride in Aggregate (Soxhlet Method)  | 15.12.2020   |
| <b>ASTM C1580-20</b><br>Standard Test Method for Water-Soluble Sulfate in Soil   | 15.12.2020   |
| <b>ASTM C634-13(2021)</b><br>Standard Terminology Relating to Building and Environmental Acoustics   | 1.1.2021     |
| <b>ASTM D7671-10(2021)</b><br>Standard Test Method for Corrosiveness to Silver by Automotive Spark-Ignition Engine Fuel-Silver Strip Method  | 1.1.2021     |
| <b>ASTM E1014-12(2021)</b><br>Standard Guide for Measurement of Outdoor A-Weighted Sound Levels  | 1.1.2021     |
| <b>ASTM E1042-02(2021)</b><br>Standard Classification for Acoustically Absorptive Materials Applied by Trowel or Spray   | 1.1.2021     |
| <b>ASTM E1380-90(2021)</b><br>Standard Specification for Color Coding of Laboratory Pipets with Multiple Graduations, 0.1 mL and Larger, But Excluding Disposable Prothrombin and Disposable Micropipets | 1.1.2021     |
| <b>ASTM E2490-09(2021)</b><br>Standard Guide for Measurement of Particle Size Distribution of Nanomaterials in Suspension by Photon Correlation Spectroscopy (PCS)                                       | 1.2.2021     |
| <b>ASTM E2558-13(2021)</b><br>Standard Test Method for Determining Particulate Matter Emissions from Fires in Wood-Burning Fireplaces  | 1.2.2021     |
| <b>ASTM E2778-14(2021)</b><br>Standard Specification for Custom Tiled/Mortared Masonry Heaters (Stoves)  | 1.2.2021     |
| <b>ASTM E3227-20</b><br>Standard Test Practice for Qualitative Assessment of Antifungal Activity on Textiles   | 1.12.2020    |
| <b>ASTM E833-14(2021)</b><br>Standard Terminology of Building Economics  | 1.2.2021     |
| <b>ASTM F3105-20</b><br>Standard Specification for Externally Loaded Strength Training Equipment, Strength Training Benches and External Weight Storage Equipment  | 15.12.2020   |

|   |            |
|---|------------|
| <b>ASTM C1157/C1157M-20a</b><br>Standard Performance Specification for Hydraulic Cement (Includes all amendments and changes 1/29/2021).  | 15.12.2020 |
| <b>ASTM C1670/C1670M-21</b><br>Standard Specification for Adhered Manufactured Stone Masonry Veneer Units   | 1.1.2021   |
| <b>ASTM C230/C230M-21</b><br>Standard Specification for Flow Table for Use in Tests of Hydraulic Cement   | 1.1.2021   |
| <b>ASTM C877-21</b><br>Standard Specification for External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections  | 15.1.2021  |
| <b>ASTM C877M-21</b><br>Standard Specification for External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections (Metric)  | 15.1.2021  |
| <b>ASTM D1465-10(2021)</b><br>Standard Test Method for Blocking and Picking Points of Petroleum Wax   | 1.1.2021   |
| <b>ASTM D2392-15(2021)</b><br>Standard Test Method for Color of Dyed Aviation Gasolines   | 1.1.2021   |
| <b>ASTM D2650-10(2021)</b><br>Standard Test Method for Chemical Composition of Gases by Mass Spectrometry   | 1.1.2021   |
| <b>ASTM D3236-15(2021)</b><br>Standard Test Method for Apparent Viscosity of Hot Melt Adhesives and Coating Materials   | 1.1.2021   |
| <b>ASTM D3344-90(2021)</b><br>Standard Test Method for Total Wax Content of Corrugated Paperboard   | 1.1.2021   |
| <b>ASTM D4051-10(2021)</b><br>Standard Practice for Preparation of Low-Pressure Gas Blends  | 1.1.2021   |
| <b>ASTM D4419-90(2021)</b><br>Standard Test Method for Measurement of Transition Temperatures of Petroleum Waxes by Differential Scanning Calorimetry (DSC)   | 1.1.2021   |
| <b>ASTM D4459-21</b><br>Standard Practice for Xenon-Arc Exposure of Plastics Intended for Indoor Applications   | 15.1.2021  |
| <b>ASTM D5060-12(2021)e1</b><br>Standard Test Method for Determining Impurities in High-Purity Ethylbenzene by Gas Chromatography (Includes all amendments and changes 2/2/2021).   | 1.1.2021   |
| <b>ASTM D5576-00(2021)e1</b><br>Standard Practice for Determination of Structural Features in Polyolefins and Polyolefin Copolymers by Infrared Spectrophotometry (FT-IR) (Includes all amendments and changes 2/2/2021). | 15.1.2021  |
| <b>ASTM D653-21</b><br>Standard Terminology Relating to Soil, Rock, and Contained Fluids  | 15.1.2021  |
| <b>ASTM D7197/D7197M-21</b><br>Standard Table of Body Measurements for Misses Maternity Sizes Two to Twenty-Two (2-22)  | 1.1.2021   |
| <b>ASTM D868-21</b><br>Standard Practice for Determination of Degree of Bleeding of Traffic Paint   | 1.1.2021   |
| <b>ASTM E143-20</b><br>Standard Test Method for Shear Modulus at Room Temperature   | 1.12.2020  |

|  |            |
|--|------------|
| <b>ASTM E542-01(2021)</b><br>Standard Practice for Calibration of Laboratory Volumetric Apparatus                                | 1.1.2021   |
| <b>ASTM E714-94(2021)</b><br>Standard Specification for Disposable Glass Serological Pipets                                      | 1.1.2021   |
| <b>ASTM E734-80(2021)</b><br>Standard Specification for Disposable Glass Blood Sample Capillary Tube (Microhematocrit)           | 1.1.2021   |
| <b>ASTM E890-94(2021)</b><br>Standard Specification for Disposable Glass Culture Tubes   | 1.1.2021   |
| <b>ASTM E911-98(2021)</b><br>Standard Specification for Glass Stopcocks with Polytetrafluoroethylene (PTFE) Plugs                | 1.1.2021   |
| <b>ASTM E934-94(2021)</b><br>Standard Specification for Serological Pipet, Disposable Plastic                                    | 1.1.2021   |
| <b>ASTM F2571-15(2020)</b><br>Standard Test Methods for Evaluating Design and Performance Characteristics of Fitness Equipment   | 15.12.2020 |
| <b>ASTM F2810-15(2020)</b><br>Standard Specification for Elliptical Trainers   | 15.12.2020 |
| <b>ASTM F2811-15(2020)</b><br>Standard Test Methods for Evaluating Design and Performance Characteristics of Elliptical Trainers | 15.12.2020 |
| <b>ASTM F3397/F3397M-21</b><br>Standard Practice for Aeroplane Turbine Fuel System Hot Weather Operations                        | 1.1.2021   |

| The product title  | Publication date |
|--|------------------|
| <b>ASTM A342/A342M-21</b><br>Standard Test Methods for Permeability of Weakly Magnetic Materials   | 1.2.2021         |
| <b>ASTM C583-15(2021)</b><br>Standard Test Method for Modulus of Rupture of Refractory Materials at Elevated Temperatures  | 1.2.2021         |
| <b>ASTM C832-00(2021)</b><br>Standard Test Method for Measuring Thermal Expansion and Creep of Refractories Under Load   | 1.2.2021         |
| <b>ASTM D1025-10(2021)</b><br>Standard Test Method for Nonvolatile Residue of Polymerization-Grade Butadiene   | 1.1.2021         |
| <b>ASTM D350-21</b><br>Standard Test Methods for Flexible Treated Sleeving Used for Electrical Insulation  | 1.1.2021         |
| <b>ASTM D5135-21</b><br>Standard Test Method for Analysis of Styrene by Capillary Gas Chromatography   | 1.1.2021         |
| <b>ASTM D6373-21</b><br>Standard Specification for Performance-Graded Asphalt Binder   | 1.2.2021         |
| <b>ASTM D7914/D7914M-21</b><br>Standard Test Method for Strength of Fiber Reinforced Polymer (FRP) Bent Bars in Bend Locations   | 1.1.2021         |
| <b>ASTM D7954/D7954M-15a(2021)</b><br>Standard Practice for Moisture Surveying of Roofing and Waterproofing Systems Using Nondestructive Electrical Impedance Scanners (Includes all amendments and changes 2/5/2021).       | 1.2.2021         |
| <b>ASTM D8003-15a(2021)</b><br>Standard Test Method for Determination of Light Hydrocarbons and Cut Point Intervals in Live Crude Oils and Condensates by Gas Chromatography (Includes all amendments and changes 2/5/2021). | 1.1.2021         |
| <b>ASTM D8239-21</b><br>Standard Specification for Performance-Graded Asphalt Binder Using the Multiple Stress Creep and Recovery (MSCR) Test  | 1.2.2021         |
| <b>ASTM E1167-15(2021)</b><br>Standard Guide for Radiation Protection Program for Decommissioning Operations   | 1.2.2021         |
| <b>ASTM E1197-12(2021)</b><br>Standard Guide for Conducting a Terrestrial Soil-Core Microcosm Test   | 1.1.2021         |
| <b>ASTM E1265-04(2021)</b><br>Standard Test Method for Measuring Insertion Loss of Pneumatic Exhaust Silencers   | 1.1.2021         |
| <b>ASTM E1316-21</b><br>Standard Terminology for Nondestructive Examinations   | 1.2.2021         |
| <b>ASTM E1780-12(2021)</b><br>Standard Guide for Measuring Outdoor Sound Received from a Nearby Fixed Source   | 1.1.2021         |
| <b>ASTM E2340/E2340M-11(2021)</b><br>Standard Test Method for Measuring the Skid Resistance of Pavements and Other Trafficked Surfaces Using a Continuous Reading, Fixed-Slip Technique                                      | 1.2.2021         |
| <b>ASTM E2607-21</b><br>Standard Practice for Cannibalization/Reclamation of Serviceable Equipment Components to Support Demand Requirements   | 1.2.2021         |

|   |            |
|---|------------|
| <b>ASTM E328-21</b><br>Standard Test Methods for Stress Relaxation for Materials and Structures   | 1.2.2021   |
| <b>ASTM E372-21</b><br>Standard Test Method for Determination of Calcium and Magnesium in Magnesium Ferrosilicon by EDTA Titrimetry   | 15.1.2021  |
| <b>ASTM E809-21</b><br>Standard Practice for Measuring Photometric Characteristics of Retroreflectors   | 1.1.2021   |
| <b>ASTM F1250-20</b><br>Standard Specification for Stationary Upright and Recumbent Exercise Bicycles and Upper and Total Body Ergometers   | 15.12.2020 |
| <b>ASTM F2058-07(2021)</b><br>Standard Specification for Candle Fire Safety Labeling  | 1.2.2021   |
| <b>ASTM F2229-21</b><br>Standard Specification for Wrought, Nitrogen Strengthened 23Manganese-21Chromium-1Molybdenum Low-Nickel Stainless Steel Alloy Bar and Wire for Surgical Implants (UNS S29108) | 1.2.2021   |
| <b>ASTM F2326-04(2021)</b><br>Standard Test Method for Collection and Analysis of Visible Emissions from Candles as They Burn   | 1.2.2021   |
| <b>ASTM F2443-04(2021)</b><br>Standard Specification for Roller, Bearing, Needle, Ferrous, Solid, Spherical End   | 15.1.2021  |
| <b>ASTM F2609-11(2021)</b><br>Standard Test Method for Litter-Cleaning Effectiveness of Vacuum Cleaners   | 1.2.2021   |
| <b>ASTM F2953-12(2021)</b><br>Standard Specification for Phenolic Raw Materials for the Use in Bearing Cages  | 15.1.2021  |
| <b>ASTM F3168-20a</b><br>Standard Practice for Hayride Attractions (Includes all amendments and changes 2/5/2021).  | 1.12.2020  |
| <b>ASTM F3431-21</b><br>Standard Specification for Determining Flammability of Materials for Recreational Camping Tents and Warning Labels for Associated Hazards                                     | 1.2.2021   |
| <b>ASTM F3498-21</b><br>Standard Practice for Developing Simplified Fatigue Load Spectra  | 1.1.2021   |
| <b>ASTM F3503-21</b><br>Standard Test Method for Breaking Strength of Slalom Water Skis   | 1.2.2021   |

| The product title   | Publication date |
|---|------------------|
| <b>ASTM A320/A320M-21</b><br>Standard Specification for Alloy-Steel and Stainless Steel Bolting for Low-Temperature Service   | 1.1.2021         |
| <b>ASTM D1743-21</b><br>Standard Test Method for Determining Corrosion Preventive Properties of Lubricating Greases   | 1.2.2021         |
| <b>ASTM D1790-21</b><br>Standard Test Method for Brittleness Temperature of Plastic Sheeting by Impact  | 15.1.2021        |
| <b>ASTM D3978-21</b><br>Standard Practice for Algal Growth Potential Testing with <i>Pseudokirchneriella subcapitata</i>  | 15.1.2021        |
| <b>ASTM D5420-21</b><br>Standard Test Method for Impact Resistance of Flat, Rigid Plastic Specimen by Means of a Striker Impacted by a Falling Weight (Gardner Impact)  | 15.1.2021        |
| <b>ASTM D6868-21</b><br>Standard Specification for Labeling of End Items that Incorporate Plastics and Polymers as Coatings or Additives with Paper and Other Substrates Designed to be Aerobically Composted in Municipal or Industrial Facilities | 1.2.2021         |
| <b>ASTM D7119/D7119M-21</b><br>Standard Guide for Sampling Spray Polyurethane Foam and Coating in Roofing   | 1.1.2021         |
| <b>ASTM D8133-21</b><br>Standard Test Method for Determination of Low Level Phthalates in Poly(Vinyl Chloride) Plastics by Solvent Extractionâ€™Gas Chromatography/Mass Spectrometry  | 15.1.2021        |
| <b>ASTM D8166-21</b><br>Standard Test Method for Sizing and Counting Particulates in Light and Middle Distillate Fuels and Biodiesel Blend (B6 to B20) Using Continuous Flow and Bottle Sampler Automatic Particle Counters                         | 1.1.2021         |
| <b>ASTM D8358-21</b><br>Standard Guide for Assessment and Inclusion of Wall Deposits in the Analysis of Single-Stage Samplers for Airborne Particulate Matter   | 1.1.2021         |
| <b>ASTM D8380-21</b><br>Standard Test Method for Dry Abrasion Resistance of Hydrophobic and Omniphobic Coatings   | 1.1.2021         |
| <b>ASTM E1249-15(2021)</b><br>Standard Practice for Minimizing Dosimetry Errors in Radiation Hardness Testing of Silicon Electronic Devices Using Co-60 Sources   | 1.2.2021         |
| <b>ASTM E1281-15(2021)</b><br>Standard Guide for Nuclear Facility Decommissioning Plans   | 1.2.2021         |
| <b>ASTM E1414/E1414M-21</b><br>Standard Test Method for Airborne Sound Attenuation Between Rooms Sharing a Common Ceiling Plenum  | 1.2.2021         |
| <b>ASTM E1563-21</b><br>Standard Guide for Conducting Short-Term Chronic Toxicity Tests with Echinoid Embryos   | 15.1.2021        |
| <b>ASTM E1819-15(2021)</b><br>Standard Guide for Environmental Monitoring Plans for Decommissioning of Nuclear Facilities   | 1.2.2021         |
| <b>ASTM E1926-08(2021)</b><br>Standard Practice for Computing International Roughness Index of Roads from Longitudinal Profile Measurements   | 1.2.2021         |
| <b>ASTM E2178-21</b><br>Standard Test Method for Determining Air Leakage Rate and Calculation of Air Permeance of Building Materials  | 1.2.2021         |

|  |           |
|--|-----------|
| <b>ASTM F116-12(2021)</b><br>Standard Specification for Medical Screwdriver Bits   | 1.2.2021  |
| <b>ASTM F1306-21</b><br>Standard Test Method for Slow Rate Penetration Resistance of Flexible Barrier Films and Laminates  | 15.1.2021 |
| <b>ASTM F1321-14(2021)</b><br>Standard Guide for Conducting a Stability Test (Lightweight Survey and Inclining Experiment) to Determine the Light Ship Displacement and Centers of Gravity of a Vessel | 15.1.2021 |
| <b>ASTM F1839-08(2021)</b><br>Standard Specification for Rigid Polyurethane Foam for Use as a Standard Material for Testing Orthopaedic Devices and Instruments  | 1.2.2021  |
| <b>ASTM F2024-10(2021)</b><br>Standard Practice for X-ray Diffraction Determination of Phase Content of Plasma-Sprayed Hydroxyapatite Coatings   | 1.2.2021  |
| <b>ASTM F2105-21</b><br>Standard Test Method for Measuring Air Performance Characteristics of Vacuum Cleaner Motor/Fan Systems   | 1.2.2021  |
| <b>ASTM F3492-21</b><br>Standard Consumer Safety Specification for Child Safety Locks and Latches for Use with Cabinet Doors and Drawers   | 1.2.2021  |
| <b>ASTM F431-21</b><br>Standard Specification for Air Performance Measurement Plenum Chamber for Vacuum Cleaners   | 1.2.2021  |
| <b>ASTM F558-21</b><br>Standard Test Method for Measuring Air Performance Characteristics of Vacuum Cleaners   | 1.2.2021  |
| <b>ASTM F820-21</b><br>Standard Test Method for Measuring Air Performance Characteristics of Central Vacuum Cleaning Systems   | 1.2.2021  |
| <b>ASTM F99-21</b><br>Standard Guide for Writing a Specification for Flexible Barrier Rollstock Materials  | 15.1.2021 |

| The product title  | Publication date |
|--|------------------|
| <b>ASTM C1205-20</b><br>Standard Test Method for The Radiochemical Determination of Americium-241 in Soil by Alpha Spectrometry  | 1.12.2020        |
| <b>ASTM C1507-20</b><br>Standard Test Method for Radiochemical Determination of Strontium-90 in Soil   | 1.12.2020        |
| <b>ASTM C1770-21</b><br>Standard Test Method for Determination of Loose and Tapped Bulk Densities of Small Quantities of Plutonium Oxide   | 1.1.2021         |
| <b>ASTM C922-21</b><br>Standard Specification for Sintered Gadolinium Oxide-Uranium Dioxide Pellets for Light Water Reactors   | 1.1.2021         |
| <b>ASTM D3078-02(2021)e1</b><br>Standard Test Method for Determination of Leaks in Flexible Packaging by Bubble Emission (Includes all amendments and changes 2/15/2021).  | 15.1.2021        |
| <b>ASTM D619-21</b><br>Standard Test Methods for Vulcanized Fibre Used for Electrical Insulation   | 1.1.2021         |
| <b>ASTM D6240/D6240M-12(2021)e1</b><br>Standard Tables of Body Measurements for Mature Men, ages 35 and older, Sizes Thirty-Four to Fifty-Two (34 to 52) Short, Regular, and Tall (Includes all amendments and changes 2/12/2021).                     | 1.1.2021         |
| <b>ASTM D7509-09(2021)</b><br>Standard Specification for Fluorocarbon Feedstock Grade Chloroform   | 1.2.2021         |
| <b>ASTM D7785-21</b><br>Standard Practice for Water in Lint Cotton by Oven Evaporation Combined with Volumetric Karl Fischer Titration   | 1.1.2021         |
| <b>ASTM D8086-20</b><br>Standard Test Method for Determination of Methanol and Ethanol in Electrical Insulating Liquids of Petroleum Origin by Headspace (HS)-Gas Chromatography (GC) Using Mass Spectrometry (MS) or Flame Ionization Detection (FID) | 1.12.2020        |
| <b>ASTM D876-21</b><br>Standard Test Methods for Nonrigid Vinyl Chloride Polymer Tubing Used for Electrical Insulation   | 1.1.2021         |
| <b>ASTM E1091-21</b><br>Standard Specification for Nonmetallic Honeycomb Core for Use in Shelter Panels  | 1.2.2021         |
| <b>ASTM E1801-21</b><br>Standard Practice for Adhesive Bonding of Aluminum Facings in Foam and Beam Type Shelters  | 1.2.2021         |
| <b>ASTM E1851-21</b><br>Standard Test Method for Electromagnetic Shielding Effectiveness of Durable Rigid Wall Relocatable Structures  | 1.2.2021         |
| <b>ASTM E2517-21</b><br>Standard Specification for Cargo Bed Cover, Type III (M35A2, 212 Ton Cargo Truck/M1078, 212 Ton Lightweight Medium Tactical Vehicle (LMTV)/ M1082, 212 Ton LMTV Trailer)   | 1.2.2021         |
| <b>ASTM E990-21</b><br>Standard Specification for Core-Splice Adhesive for Honeycomb Sandwich Structural Panels  | 1.2.2021         |
| <b>ASTM F1107-04(2021)</b><br>Standard Terminology Relating to Snowboarding  | 1.2.2021         |
| <b>ASTM F1667-20</b><br>Standard Specification for Driven Fasteners: Nails, Spikes, and Staples  | 15.12.2020       |
| <b>ASTM F1722-15(2021)</b><br>Standard Test Method for Determining Mass and Moment of Inertia of Alpine Skis   | 1.2.2021         |



|   |           |
|---|-----------|
| <b>ASTM F2613-21</b><br>Standard Consumer Safety Specification for Children's Chairs and Stools   | 1.2.2021  |
| <b>ASTM F2786-16(2021)</b><br>Standard Practice for Field Leak Testing of Polyethylene (PE) Pressure Piping Systems Using Gaseous Testing Media Under Pressure (Pneumatic Leak Testing) | 1.2.2021  |
| <b>ASTM F3502-21</b><br>Standard Specification for Barrier Face Coverings   | 15.2.2021 |

| The product title  | Publication date |
|--|------------------|
| <b>ASTM A34/A34M-06(2021)</b><br>Standard Practice for Sampling and Procurement Testing of Magnetic Materials  | 1.2.2021         |
| <b>ASTM A340-21</b><br>Standard Terminology of Symbols and Definitions Relating to Magnetic Testing  | 1.2.2021         |
| <b>ASTM A596/A596M-21</b><br>Standard Test Method for Direct-Current Magnetic Properties of Materials Using the Point by Point (Ballistic) Method and Ring Specimens   | 1.2.2021         |
| <b>ASTM A753-21</b><br>Standard Specification for Wrought Nickel-Iron Soft Magnetic Alloys (UNS K94490, K94840, N14076, N14080)  | 1.2.2021         |
| <b>ASTM A773/A773M-21</b><br>Standard Test Method for Direct Current Magnetic Properties of Low Coercivity Magnetic Materials Using Hysteresisgraphs                   | 1.2.2021         |
| <b>ASTM A801-21</b><br>Standard Specification for Wrought Iron-Cobalt High Magnetic Saturation Alloys (UNS R30005 and K92650)  | 1.2.2021         |
| <b>ASTM A804/A804M-04(2021)</b><br>Standard Test Methods for Alternating-Current Magnetic Properties of Materials at Power Frequencies Using Sheet-Type Test Specimens | 1.2.2021         |
| <b>ASTM B398/B398M-15(2021)</b><br>Standard Specification for Aluminum-Alloy 6201-T81 and 6201-T83 Wire for Electrical Purposes  | 1.2.2021         |
| <b>ASTM B399/B399M-04(2021)</b><br>Standard Specification for Concentric-Lay-Stranded Aluminum-Alloy 6201-T81 Conductors   | 1.2.2021         |
| <b>ASTM B800-05(2021)</b><br>Standard Specification for 8000 Series Aluminum Alloy Wire for Electrical Purposes—Annealed and Intermediate Tempers                      | 1.2.2021         |
| <b>ASTM B836-00(2021)</b><br>Standard Specification for Compact Round Stranded Aluminum Conductors Using Single Input Wire Construction                                | 1.2.2021         |
| <b>ASTM B901-04(2021)</b><br>Standard Specification for Compressed Round Stranded Aluminum Conductors Using Single Input Wire Construction                             | 1.2.2021         |
| <b>ASTM C1222-21</b><br>Standard Practice for Evaluation of Laboratories Testing Hydraulic Cement  | 1.1.2021         |
| <b>ASTM C1238-97(2021)</b><br>Standard Guide for Installation of Walk-Through Metal Detectors  | 1.1.2021         |
| <b>ASTM C1269-97(2021)</b><br>Standard Practice for Adjusting Operational Sensitivity Setting of In-Plant Walk-Through Metal Detectors                                 | 1.1.2021         |
| <b>ASTM C1270-97(2021)</b><br>Standard Practice for Detection Sensitivity Mapping of In-Plant Walk-Through Metal Detectors   | 1.1.2021         |
| <b>ASTM C1309-97(2021)</b><br>Standard Practice for Performance Evaluation of In-Plant Walk-Through Metal Detectors  | 1.1.2021         |
| <b>ASTM C133-97(2021)</b><br>Standard Test Methods for Cold Crushing Strength and Modulus of Rupture of Refractories   | 1.2.2021         |
| <b>ASTM C1587/C1587M-21</b><br>Standard Practice for Preparation of Field Removed Manufactured Masonry Units and Masonry Specimens for Testing                         | 1.2.2021         |

|  |           |
|--|-----------|
| <b>ASTM C1901-21</b><br>Standard Test Method for Measuring Optical Retardation in Flat Architectural Glass   | 1.1.2021  |
| <b>ASTM C730-98(2021)</b><br>Standard Test Method for Knoop Indentation Hardness of Glass  | 1.1.2021  |
| <b>ASTM D1004-21</b><br>Standard Test Method for Tear Resistance (Graves Tear) of Plastic Film and Sheeting  | 15.1.2021 |
| <b>ASTM D1310-14(2021)</b><br>Standard Test Method for Flash Point and Fire Point of Liquids by Tag Open-Cup Apparatus   | 1.2.2021  |
| <b>ASTM D2219-21</b><br>Standard Specification for Poly(Vinyl Chloride) Insulation for Wire and Cable, 60â€”C Operation  | 1.1.2021  |
| <b>ASTM D2220-21</b><br>Standard Specification for Poly(Vinyl Chloride) Insulation for Wire and Cable, 75â€”C Operation  | 1.1.2021  |
| <b>ASTM D228/D228M-21</b><br>Standard Test Methods for Sampling, Testing, and Analysis of Asphalt Roll Roofing, Cap Sheets, and Shingles Used in Roofing and Waterproofing     | 15.2.2021 |
| <b>ASTM D2412-21</b><br>Standard Test Method for Determination of External Loading Characteristics of Plastic Pipe by Parallel-Plate Loading                                   | 1.2.2021  |
| <b>ASTM D2444-21</b><br>Standard Practice for Determination of the Impact Resistance of Thermoplastic Pipe and Fittings by Means of a Tup (Falling Weight)                     | 1.2.2021  |
| <b>ASTM D2633-21</b><br>Standard Test Methods for Thermoplastic Insulations and Jackets for Wire and Cable   | 1.1.2021  |
| <b>ASTM D2671-21</b><br>Standard Test Methods for Heat-Shrinkable Tubing for Electrical Use  | 1.1.2021  |
| <b>ASTM D2697-03(2021)</b><br>Standard Test Method for Volume Nonvolatile Matter in Clear or Pigmented Coatings  | 1.2.2021  |
| <b>ASTM D2837-21</b><br>Standard Test Method for Obtaining Hydrostatic Design Basis for Thermoplastic Pipe Materials or Pressure Design Basis for Thermoplastic Pipe Products  | 1.2.2021  |
| <b>ASTM D2903-21</b><br>Standard Specification for Crosslinked Chlorinated Polyolefin Heat-Shrinkable Tubing for Electrical Insulation   | 1.1.2021  |
| <b>ASTM D3032-21</b><br>Standard Test Methods for Hookup Wire Insulation   | 1.1.2021  |
| <b>ASTM D3144-21</b><br>Standard Specification for Crosslinked Poly(Vinylidene Fluoride) Heat-Shrinkable Tubing for Electrical Insulation                                      | 1.1.2021  |
| <b>ASTM D3150-21</b><br>Standard Specification for Crosslinked and Noncrosslinked Poly(Vinyl Chloride) Heat-Shrinkable Tubing for Electrical Insulation                        | 1.1.2021  |
| <b>ASTM D3638-21</b><br>Standard Test Method for Comparative Tracking Index of Electrical Insulating Materials   | 1.1.2021  |
| <b>ASTM D3675-21</b><br>Standard Test Method for Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source  | 15.1.2021 |
| <b>ASTM D3804-02(2021)</b><br>Standard Test Method for Iron in Paint Driers by EDTA Method   | 1.2.2021  |
| <b>ASTM D3843-16(2021)e1</b><br>Standard Practice for Quality Assurance for Protective Coatings Applied to Nuclear Facilities (Includes all amendments and changes 2/22/2021). | 1.2.2021  |
| <b>ASTM D3911-16(2021)</b><br>Standard Test Method for Evaluating Coatings Used in Light-Water Nuclear Power Plants at Simulated Design Basis Accident (DBA) Conditions        | 1.2.2021  |
| <b>ASTM D4245-21</b><br>Standard Specification for Ozone-Resistant Thermoplastic Elastomer Insulation For Wire and Cable, 90 d”C Dry/75 d”C Wet Operation                      | 1.1.2021  |
| <b>ASTM D4286-08(2021)</b><br>Standard Practice for Determining Coating Contractor Qualifications for Nuclear Powered Electric Generation Facilities                           | 1.2.2021  |
| <b>ASTM D4451-02(2021)</b><br>Standard Test Method for Pigment Content of Paints by Low-Temperature Ashing   | 1.2.2021  |
| <b>ASTM D4496-21</b><br>Standard Test Method for D-C Resistance or Conductance of Moderately Conductive Materials  | 1.1.2021  |

|   |           |
|---|-----------|
| <b>ASTM D4538-21</b><br>Standard Terminology Relating to Protective Coating and Lining Work for Power Generation Facilities   | 1.2.2021  |
| <b>ASTM D4834-03(2021)</b><br>Standard Test Method for Detection of Lead in Paint by Direct Aspiration Atomic Absorption Spectroscopy   | 1.2.2021  |
| <b>ASTM D5262-21</b><br>Standard Test Method for Determining the Unconfined Tension Creep and Creep Rupture Behavior of Planar Geosynthetics Used for Reinforcement Purposes  | 15.2.2021 |
| <b>ASTM D5585-21</b><br>Standard Tables of Body Measurements for Adult Female Misses Figure Type, Size Range 00â€”20  | 1.1.2021  |
| <b>ASTM D6038-21</b><br>Standard Test Methods for Determining the Compatibility of Resin/Solvent Mixtures by Precipitation Temperature (Cloud Point)  | 1.2.2021  |
| <b>ASTM D6083/D6083M-21</b><br>Standard Specification for Liquid-Applied Acrylic Coating Used in Roofing  | 15.2.2021 |
| <b>ASTM D6096-21</b><br>Standard Specification for Poly(Vinyl Chloride) Insulation for Wire and Cable, 90dž”dž”C Operation  | 1.1.2021  |
| <b>ASTM D6226-21</b><br>Standard Test Method for Open Cell Content of Rigid Cellular Plastics   | 15.2.2021 |
| <b>ASTM D6701-21</b><br>Standard Test Method for Determining Water Vapor Transmission Rates Through Nonwoven and Plastic Barriers   | 1.2.2021  |
| <b>ASTM D6818-21</b><br>Standard Test Method for Tensile Properties of Rolled Erosion Control Products  | 15.2.2021 |
| <b>ASTM D7110-21</b><br>Standard Test Method for Determining the Viscosity-Temperature Relationship of Used and Soot-Containing Engine Oils at Low Temperatures   | 1.1.2021  |
| <b>ASTM D7264/D7264M-21</b><br>Standard Test Method for Flexural Properties of Polymer Matrix Composite Materials   | 1.1.2021  |
| <b>ASTM D7491-21</b><br>Standard Guide for Management of Non-Conforming Coatings in Coating Service Level I Areas of Nuclear Power Plants   | 1.2.2021  |
| <b>ASTM D7909-21</b><br>Standard Guide for Placement of (Blind) Actual Leaks During Electrical Leak Location Surveys of Geomembranes  | 15.2.2021 |
| <b>ASTM D8222-21</b><br>Standard Guide for Establishing a Quality Management System (QMS) for Consumer Use of Cannabis/Hemp Products  | 1.2.2021  |
| <b>ASTM D8244-21</b><br>Standard Guide for Analytical Laboratory Operations Supporting the Cannabis/Hemp Industry   | 15.1.2021 |
| <b>ASTM D8271-21</b><br>Standard Test Method for the Direct Measurement of Surface Profile of Prepared Concrete   | 1.2.2021  |
| <b>ASTM D850-21</b><br>Standard Test Method for Distillation of Industrial Aromatic Hydrocarbons and Related Materials  | 1.2.2021  |
| <b>ASTM E1676-12(2021)</b><br>Standard Guide for Conducting Laboratory Soil Toxicity or Bioaccumulation Tests with the Lumbricid Earthworm Eisenia Fetida and the Enchytraeid Potworm Enchytraeus albidus                       | 1.1.2021  |
| <b>ASTM E1892-15(2021)</b><br>Standard Guide for Preparing Characterization Plans for Decommissioning Nuclear Facilities  | 1.2.2021  |
| <b>ASTM E1893-15(2021)</b><br>Standard Guide for Selection and Use of Portable Radiological Survey Instruments for Performing In Situ Radiological Assessments to Support Unrestricted Release from Further Regulatory Controls | 1.2.2021  |
| <b>ASTM E2420-15(2021)</b><br>Standard Guide for Post-Deactivation Surveillance and Maintenance of Radiologically Contaminated Facilities   | 1.2.2021  |
| <b>ASTM E2421-15(2021)</b><br>Standard Guide for Preparing Waste Management Plans for Decommissioning Nuclear Facilities  | 1.2.2021  |
| <b>ASTM E2582-21</b><br>Standard Practice for Infrared Flash Thermography of Composite Panels and Repair Patches Used in Aerospace Applications   | 1.2.2021  |
| <b>ASTM E2981-21</b><br>Standard Guide for Nondestructive Examination of Composite Overwraps in Filament Wound Pressure Vessels Used in Aerospace Applications  | 1.2.2021  |
| <b>ASTM E460-21</b><br>Standard Practice for Determining Effect of Packaging on Food and Beverage Products During Storage   | 1.1.2021  |

|  |           |
|--|-----------|
| <b>ASTM E509/E509M-21</b><br>Standard Guide for In-Service Annealing of Light-Water Moderated Nuclear Reactor Vessels  | 1.2.2021  |
| <b>ASTM E8/E8M-21</b><br>Standard Test Methods for Tension Testing of Metallic Materials   | 1.2.2021  |
| <b>ASTM F1693-21</b><br>Standard Guide for Consideration of Bioremediation as an Oil Spill Response Method on Land   | 1.2.2021  |
| <b>ASTM F1731-21</b><br>Standard Practice for Body Measurements and Sizing of Fire and Rescue Services Uniforms and Other Thermal Hazard Protective Clothing               | 1.2.2021  |
| <b>ASTM F2095-07(2021)</b><br>Standard Test Methods for Pressure Decay Leak Test for Flexible Packages With and Without Restraining Plates                                 | 15.1.2021 |
| <b>ASTM F2227-13(2021)</b><br>Standard Test Method for Non-Destructive Detection of Leaks in Non-sealed and Empty Packaging Trays by CO2 Tracer Gas Method                 | 15.1.2021 |
| <b>ASTM F2228-13(2021)</b><br>Standard Test Method for Non-Destructive Detection of Leaks in Packaging Which Incorporates Porous Barrier Material by CO2 Tracer Gas Method | 15.1.2021 |
| <b>ASTM F2441-20</b><br>Standard Practice for Labeling of Recreational Camping Tents and Bivouac Sacks   | 1.12.2020 |
| <b>ASTM F2714-08(2021)</b><br>Standard Test Method for Oxygen Headspace Analysis of Packages Using Fluorescent Decay   | 15.1.2021 |
| <b>ASTM F2733-21</b><br>Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards   | 1.2.2021  |
| <b>ASTM F714-21</b><br>Standard Specification for Polyethylene (PE) Plastic Pipe (DR-PR) Based on Outside Diameter   | 1.2.2021  |
| <b>ASTM G31-21</b><br>Standard Guide for Laboratory Immersion Corrosion Testing of Metals  | 1.1.2021  |

|   |           |
|---|-----------|
| <b>ASTM A290/A290M-16(2021)</b><br>Standard Specification for Carbon and Alloy Steel Forgings for Rings for Reduction Gears   | 1.3.2021  |
| <b>ASTM A482/A482M-11(2021)</b><br>Standard Specification for Ferrochrome-Silicon   | 1.3.2021  |
| <b>ASTM A891/A891M-16(2021)</b><br>Standard Specification for Precipitation Hardening Iron Base Superalloy Forgings for Turbine Rotor Disks and Wheels  | 1.3.2021  |
| <b>ASTM A909/A909M-06(2021)</b><br>Standard Specification for Steel Forgings, Microalloy, for General Industrial Use  | 1.3.2021  |
| <b>ASTM A983/A983M-06(2021)</b><br>Standard Specification for Continuous Grain Flow Forged Carbon and Alloy Steel Crankshafts for Medium Speed Diesel Engines   | 1.3.2021  |
| <b>ASTM A986/A986M-01(2021)</b><br>Standard Specification for Magnetic Particle Examination of Continuous Grain Flow Crankshaft Forgings  | 1.3.2021  |
| <b>ASTM D4308-21</b><br>Standard Test Method for Electrical Conductivity of Liquid Hydrocarbons by Precision Meter  | 1.1.2021  |
| <b>ASTM D4447-21</b><br>Standard Guide for Disposal of Laboratory Chemicals and Samples   | 1.2.2021  |
| <b>ASTM D470-21</b><br>Standard Test Methods for Crosslinked Insulations and Jackets for Wire and Cable   | 15.1.2021 |
| <b>ASTM D5087-02(2021)</b><br>Standard Test Method for Determining Amount of Volatile Organic Compound (VOC) Released from Solventborne Automotive Coatings and Available for Removal in a VOC Control Device (Abatement) | 1.2.2021  |
| <b>ASTM D5144-08(2021)</b><br>Standard Guide for Use of Protective Coating Standards in Nuclear Power Plants  | 1.2.2021  |
| <b>ASTM D5145-09(2021)</b><br>Standard Test Methods for Nonvolatile and Pigment Content of Electrocoat Baths  | 1.2.2021  |
| <b>ASTM D5163-16(2021)</b><br>Standard Guide for Establishing a Program for Condition Assessment of Coating Service Level I Coating Systems in Nuclear Power Plants   | 1.2.2021  |
| <b>ASTM D5200-03(2021)</b><br>Standard Test Method for Determination of Weight Percent Volatile Content of Solvent-Borne Paints in Aerosol Cans   | 1.2.2021  |
| <b>ASTM D5325-03(2021)</b><br>Standard Test Method for Determination of Weight Percent Volatile Content of Water-Borne Aerosol Paints   | 1.2.2021  |
| <b>ASTM D5367-16(2021)</b><br>Standard Practice for Evaluating Coatings Applied Over Surfaces Treated With Inhibitors Used to Prevent Flash Rusting of Steel When Water or Water/Abrasive Blasted                         | 1.2.2021  |
| <b>ASTM D5380-93(2021)</b><br>Standard Test Method for Identification of Crystalline Pigments and Extenders in Paint by X-Ray Diffraction Analysis  | 1.2.2021  |
| <b>ASTM D5381-93(2021)</b><br>Standard Guide for X-Ray Fluorescence (XRF) Spectroscopy of Pigments and Extenders  | 1.2.2021  |
| <b>ASTM D5499-94(2021)</b><br>Standard Test Methods for Heat Resistance of Polymer Linings for Flue Gas Desulfurization Systems   | 1.2.2021  |

|   |           |
|---|-----------|
| <b>ASTM D5794-95(2021)</b><br>Standard Guide for Determination of Anions in Cathodic Electrocoat Permeates by Ion Chromatography  | 1.2.2021  |
| <b>ASTM D6133-02(2021)</b><br>Standard Test Method for Acetone, p-Chlorobenzotrifluoride, Methyl Acetate or t-Butyl Acetate Content of Solventborne and Waterborne Paints, Coatings, Resins, and Raw Materials by Direct Injection Into a Gas Chromatograph | 1.2.2021  |
| <b>ASTM D8197-21</b><br>Standard Specification for Maintaining Acceptable Water Activity (aw) Range (0.55 to 0.65) for Dry Cannabis Flower Intended for Human/Animal Use  | 15.2.2021 |
| <b>ASTM E1006-21</b><br>Standard Practice for Analysis and Interpretation of Physics Dosimetry Results from Test Reactor Experiments  | 1.2.2021  |
| <b>ASTM F1504-14(2021)</b><br>Standard Specification for Folded Poly(Vinyl Chloride) (PVC) Pipe for Existing Sewer and Conduit Rehabilitation   | 15.2.2021 |
| <b>ASTM F2722-21</b><br>Standard Practice for Evaluating Mobile Bearing Knee Tibial Baseplate Rotational Stops  | 15.2.2021 |
| <b>ASTM F3065/F3065M-21</b><br>Standard Specification for Aircraft Propeller System Installation  | 1.1.2021  |
| <b>ASTM F3160-21</b><br>Standard Guide for Metallurgical Characterization of Absorbable Metallic Materials for Medical Implants   | 1.2.2021  |

|   |            |
|---|------------|
| <b>ASTM A550-16(2021)</b><br>Standard Specification for Ferrocolumbium (Ferroniobium)   | 1.3.2021   |
| <b>ASTM A74-21</b><br>Standard Specification for Cast Iron Soil Pipe and Fittings   | 1.3.2021   |
| <b>ASTM B1017-21</b><br>Standard Specification for Seamless Copper-Iron Tube for Air Conditioning and Refrigeration   | 15.2.2021  |
| <b>ASTM C1460-21</b><br>Standard Specification for Shielded Transition Couplings for Use with Dissimilar DWV Pipe and Fittings Above Ground   | 1.3.2021   |
| <b>ASTM C31/C31M-21</b><br>Standard Practice for Making and Curing Concrete Test Specimens in the Field   | 1.3.2021   |
| <b>ASTM C39/C39M-21</b><br>Standard Test Method for Compressive Strength of Cylindrical Concrete Specimens  | 1.3.2021   |
| <b>ASTM D1105-21</b><br>Standard Test Method for Preparation of Extractive-Free Wood  | 1.2.2021   |
| <b>ASTM D5313/D5313M-21</b><br>Standard Test Method for Evaluation of Durability of Rock for Erosion Control Under Wetting and Drying Conditions  | 1.2.2021   |
| <b>ASTM D5574-94(2021)</b><br>Standard Test Methods for Establishing Allowable Mechanical Properties of Wood-Bonding Adhesives for Design of Structural Joints                                  | 1.3.2021   |
| <b>ASTM D5819-21</b><br>Standard Guide for Selecting Test Methods for Experimental Evaluation of Geosynthetic Durability  | 1.3.2021   |
| <b>ASTM E2005-21</b><br>Standard Guide for Benchmark Testing of Reactor Dosimetry in Standard and Reference Neutron Fields  | 1.2.2021   |
| <b>ASTM E2533-21</b><br>Standard Guide for Nondestructive Examination of Polymer Matrix Composites Used in Aerospace Applications   | 1.2.2021   |
| <b>ASTM E2956-21</b><br>Standard Guide for Monitoring the Neutron Exposure of LWR Reactor Pressure Vessels  | 1.2.2021   |
| <b>ASTM E3118/E3118M-21</b><br>Standard Test Methods to Evaluate Seismic Performance of Suspended Ceiling Systems by Full-Scale Dynamic Testing   | 1.3.2021   |
| <b>ASTM E3246-21</b><br>Standard Test Methods for Differential Indentation Depth Hardness of Metallic Materials   | 1.1.2021   |
| <b>ASTM E3268-20</b><br>Standard Guide for NAPL Mobility and Migration in Sediment—Sample Collection, Field Screening, and Sample Handling  | 15.12.2020 |
| <b>ASTM E724-21</b><br>Standard Guide for Conducting Static Short-Term Chronic Toxicity Tests Starting with Embryos of Four Species of Saltwater Bivalve Molluscs                               | 15.1.2021  |
| <b>ASTM F1504-14(2021)e1</b><br>Standard Specification for Folded Poly(Vinyl Chloride) (PVC) Pipe for Existing Sewer and Conduit Rehabilitation (Includes all amendments and changes 3/9/2021). | 15.2.2021  |



|   |           |
|---|-----------|
| <b>ASTM F1735-21</b><br>Standard Specification for Poly (Vinyl Chloride) (PVC) Profile Strip for PVC Liners for Rehabilitation of Existing Man-Entry Sewers and Conduits  | 15.2.2021 |
| <b>ASTM F1790/F1790M-15(2021)</b><br>Standard Test Method for Measuring Cut Resistance of Materials Used in Protective Clothing with CPP Test Equipment   | 1.3.2021  |
| <b>ASTM F1947-21</b><br>Standard Practice for Installation of Folded Poly (Vinyl Chloride) (PVC) Pipe into Existing Sewers and Conduits   | 1.3.2021  |
| <b>ASTM F2005-21</b><br>Standard Terminology for Nickel-Titanium Shape Memory Alloys  | 1.3.2021  |
| <b>ASTM F2723-21</b><br>Standard Test Method for Evaluating Mobile Bearing Knee Tibial Baseplate/Bearing Resistance to Dynamic Disassociation   | 1.3.2021  |
| <b>ASTM F2724-21</b><br>Standard Test Method for Evaluating Mobile Bearing Knee Dislocation   | 1.3.2021  |
| <b>ASTM F3080-21</b><br>Standard Practice for Laser Technologies for Measurement of Cross-Sectional Shape of Pipeline and Conduit by Non-Rotating Laser Projector, Infrared Measurement, and CCTV Camera System | 1.3.2021  |
| <b>ASTM F3438-21</b><br>Standard Guide for Detection and Quantification of Cleaning Markers (Analytes) for the Validation of Cleaning Methods for Reusable Medical Devices                                      | 1.3.2021  |
|   |           |
| <b>ASTM A1063/A1063M-21</b><br>Standard Specification for Steel Sheet, Twin-Roll Cast, Zinc-Coated (Galvanized) by the Hot-Dip Process  | 1.3.2021  |
| <b>ASTM C78/C78M-21</b><br>Standard Test Method for Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)  | 1.3.2021  |
| <b>ASTM D2774-21</b><br>Standard Practice for Underground Installation of Thermoplastic Pressure Piping   | 1.3.2021  |
| <b>ASTM F3243-21</b><br>Standard Practice for Implementing Communications Impairments on A-UGV Systems  | 1.2.2021  |
| <b>ASTM F3458-21</b><br>Standard Specification for Marketing, Packaging, and Labeling Adult Magnet Sets Containing Small, Loose, Powerful Magnets (with a Flux Index $50 \text{ kG}^2/\text{mm}^2$ )            | 15.2.2021 |
| <b>ASTM A1063/A1063M-21</b><br>Standard Specification for Steel Sheet, Twin-Roll Cast, Zinc-Coated (Galvanized) by the Hot-Dip Process  | 1.3.2021  |
| <b>ASTM C78/C78M-21</b><br>Standard Test Method for Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)  | 1.3.2021  |
| <b>ASTM D2774-21</b><br>Standard Practice for Underground Installation of Thermoplastic Pressure Piping   | 1.3.2021  |
| <b>ASTM F3243-21</b><br>Standard Practice for Implementing Communications Impairments on A-UGV Systems  | 1.2.2021  |
| <b>ASTM F3458-21</b><br>Standard Specification for Marketing, Packaging, and Labeling Adult Magnet Sets Containing Small, Loose, Powerful Magnets (with a Flux Index $50 \text{ kG}^2/\text{mm}^2$ )            | 15.2.2021 |

|   |           |
|---|-----------|
| <b>ASTM A320/A320M-21a</b><br>Standard Specification for Alloy-Steel and Stainless Steel Bolting for Low-Temperature Service (Includes all amendments and changes 3/12/2021). | 1.3.2021  |
| <b>ASTM A335/A335M-21</b><br>Standard Specification for Seamless Ferritic Alloy-Steel Pipe for High-Temperature Service   | 1.3.2021  |
| <b>ASTM A391/A391M-21</b><br>Standard Specification for Grade 80 Alloy Steel Chain  | 1.1.2021  |
| <b>ASTM A413/A413M-21</b><br>Standard Specification for Carbon Steel Chain  | 1.1.2021  |
| <b>ASTM A523/A523M-21</b><br>Standard Specification for Plain End Seamless and Electric-Resistance-Welded Steel Pipe for High-Pressure Pipe-Type Cable Circuits               | 1.3.2021  |
| <b>ASTM A554-21</b><br>Standard Specification for Welded Stainless Steel Mechanical Tubing  | 1.3.2021  |
| <b>ASTM A795/A795M-21</b><br>Standard Specification for Black and Hot-Dipped Zinc-Coated (Galvanized) Welded and Seamless Steel Pipe for Fire Protection Use                  | 1.3.2021  |
| <b>ASTM B1018-21</b><br>Standard Specification for Seamless Copper-Iron Tube for Air Conditioning and Refrigeration Field Service   | 15.2.2021 |
| <b>ASTM C1009-21</b><br>Standard Guide for Establishing and Maintaining a Quality Assurance Program for Analytical Laboratories Within the Nuclear Industry                   | 1.2.2021  |
| <b>ASTM C1210-21</b><br>Standard Guide for Establishing a Measurement System Quality Control Program for Analytical Chemistry Laboratories Within Nuclear Industry            | 1.2.2021  |
| <b>ASTM C1376-21</b><br>Standard Specification for Pyrolytic and Vacuum Deposition Coatings on Flat Glass   | 1.2.2021  |
| <b>ASTM C1689-21</b><br>Standard Practice for Subsampling of Uranium Hexafluoride   | 1.2.2021  |
| <b>ASTM C1733-21</b><br>Standard Test Method for Distribution Coefficients of Inorganic Species by Batch Method   | 1.2.2021  |
| <b>ASTM C1751-21</b><br>Standard Guide for Sampling Radioactive Tank Waste  | 1.1.2021  |
| <b>ASTM C240-21</b><br>Standard Test Methods for Testing Cellular Glass Insulation Block  | 1.3.2021  |
| <b>ASTM C303-21</b><br>Standard Test Method for Dimensions and Density of Preformed Block and Board-Type Thermal Insulation   | 1.3.2021  |
| <b>ASTM C501-21</b><br>Standard Test Method for Relative Resistance to Wear of Unglazed Ceramic Tile by the Taber Abraser   | 1.2.2021  |
| <b>ASTM C552-21</b><br>Standard Specification for Cellular Glass Thermal Insulation   | 1.3.2021  |

|  |          |
|--|----------|
| <b>ASTM D1290-95(2021)</b><br>Standard Test Method for Sediment in Water-Emulsion Polishes by Centrifuge                 | 1.3.2021 |
| <b>ASTM D1986-14(2021)</b><br>Standard Test Method for Determining the Apparent Viscosity of Polyethylene Wax            | 1.3.2021 |
| <b>ASTM D3430-95(2021)</b><br>Standard Test Method for Clarity and Yellowness of Liquid Water-Based Clear Floor Polishes | 1.3.2021 |
| <b>ASTM D3642-13(2021)</b><br>Standard Test Method for Softening Point of Certain Alkali-Soluble Resins                  | 1.3.2021 |
| <b>ASTM D3836-13(2021)</b><br>Standard Practice for Evaluation of Automotive Polish                                      | 1.3.2021 |
| <b>ASTM D4078-02(2021)</b><br>Standard Specification for Water Emulsion Floor Polish                                     | 1.3.2021 |
| <b>ASTM D5456-21</b><br>Standard Specification for Evaluation of Structural Composite Lumber Products                    | 1.2.2021 |
| <b>ASTM E2520-21</b><br>Standard Practice for Measuring and Scoring Performance of Trace Explosive Chemical Detectors    | 1.2.2021 |
| <b>ASTM E2947-21</b><br>Standard Guide for Building Enclosure Commissioning  | 1.2.2021 |

|   |           |
|---|-----------|
| <b>ASTM D1106-21</b><br>Standard Test Method for Acid-Insoluble Lignin in Wood,                             | 1.2.2021  |
| <b>ASTM D1107-21</b><br>Standard Test Method for Ethanol-Toluene Solubility of Wood,                        | 1.2.2021  |
| <b>ASTM D1108-21</b><br>Standard Test Method for Dichloromethane Solubles in Wood,                          | 1.2.2021  |
| <b>ASTM E3023-21</b><br>Standard Practice for Probability of Detection Analysis for d'z" Versus a Data      | 15.2.2021 |
| <b>ASTM E3200-21</b><br>Standard Guide for Investment Analysis in Environmentally Sustainable Manufacturing | 1.2.2021  |
| <b>ASTM E633-21</b><br>Standard Guide for Use of Thermocouples in Elevated-Temperature Mechanical Testing   | 1.1.2021  |
| <b>ASTM E666-21</b><br>Standard Practice for Calculating Absorbed Dose From Gamma or X Radiation            | 1.2.2021  |
| <b>ASTM F109-21</b><br>Standard Terminology Relating to Surface Imperfections on Ceramics                   | 1.2.2021  |